PTSD Symptom Scale (PSS)

Name	Date	_ (Side One)
Below is a list of traumatic events or situations. Please mar the following events or mark NO if you have not had that e	k YES if you have experience experience.	d or witnessed
1. Serious accident, fire or explosion		∃Yes ∃No
2. Natural disaster (tornado, flood, hurricane, major earthquake)		⊥Yes ⊥No
3. Non-sexual assault by someone you know (physically attacked/in	jured)	」Yes □ No
		∃Yes ∃No
4. Non-sexual assault by a stranger		∃Yes ∃No
5. Sexual assault by a family member or someone you know		∃Yes ∃No
6. Sexual assault by a stranger		Tyes TNo
7. Military combat or a war zone		
8. Sexual contact before you were age 18 with someone who was 5	or more years older than you	¬Yes ¬No
9. Imprisonment		□ Yes □ No
10. Torture		∃ Yes ∃ No
11. Life-threatening illness		⊥Yes ⊥No
12. Other traumatic event		⊥Yes ⊥No
13. If "other traumatic event" is checked YES above; please write	what the event was	-
14. Of the question to which you answered YES, which was the we	orst	
(Please list the question #)		
15. Which of the above incidences is the reason for which you are	currently seeking treatment?	
(Please list the question #)		
If you answered NO to all of the above questions, <u>STOP</u> If you answered YES to any of the above questions, please c	omplete the rest of the form	
Please check YES or NO regarding the event listed in que	estion 15.	
Were you physically injured?		¬Yes ¬No
Was someone else physically injured?		∃Yes ∃No
Did you think your life was in danger?		□ Yes □ No
Did you think someone else's life was in danger?		□ Yes □ No
Did you feel helpless?		⊥Yes ⊥No
Did you feel terrified?		⊥Yes ⊥No
Please complete both sides of this document if you answered	I YES to any of the first series	
		(2 11).
Foa, Riggs, Dancu	, Rothbaum (1993)	HCSATS 2/11

Below is a list of problems that people sometimes have after experiencing a traumatic event. Please rate on a scale from 0-3 how much or how often these following things have occurred to you in the last two weeks:

0	Not	21	all
U	TAGE	aı	all

- Once per week or less/ a little bit/ one in a while
- 2 2 to 4 times per week/ somewhat/ half the time
- 3 to 5 or more times per week/ very much/ almost always

1.	Having upsetting thought or images about the traumatic event that come into your head when you did not want them to	0	1	2	3
2.	Having bad dreams or nightmares about the traumatic event	0	1	2	3
3.	Reliving the traumatic event (acting as if it were happening again)	0	1	2	3
4.	Feeling emotionally upset when you are reminded of the traumatic event	0	1	2	3
5.	Experiencing physical reactions when reminded of the traumatic event (sweating, increased heart rate)	0	1	2	3
6.	Trying not to think or talk about the traumatic event	Ó	1	2	3
7.	Trying to avoid activities or people that remind you of the traumatic event	0	1	2	3
8.	Not being able to remember an important part of the traumatic event	0	1	2	3
9.	Having much less interest or participating much less often in important activities	0	1	2	3
10.	Feeling distant or cut off from the people around you	0	1	2	3
11.	Feeling emotionally numb (unable to cry or have loving feelings)	0	1	2	3
12.	Feeling as if your future hopes or plans will not come true	0	1	2	3
13.	Having trouble falling or staying asleep	0	1	2	3
14.	Feeling irritable or having fits of anger	0	1	2	3
15.	Having trouble concentrating	0	1	2	3
16.	Being overly alert	0	1	2	3
17.	Being jumpy or easily startled	0	1	2	3

Please mark YES or NO if the problems above interfered with the following:

1.	Work	☐ Yes ☐ No	6.	Family relationships	□Yes	□No
2.	Household duties	☐Yes ☐No	7.	Sex life	∃Yes	¬No
3.	Friendships	¬Yes ¬No	8.	General life satisfaction	∃Yes	¬No
4.	Fun/leisure activities	□ Yes □ No	9.	Overall functioning	□Yes	∃No
5.	Schoolwork	□ Yes □ No				

Beck's Depression Inventory

This depression inventory can be self-scored. The scoring scale is at the end of the questionnaire. 1. I do not feel sad: 0 I feel sad 1 I am sad all the time and I can't snap out of it. 2 I am so sad and unhappy that I can't stand it. 3 2. I am not particularly discouraged about the future. 0 I feel discouraged about the future. 1 I feel I have nothing to look forward to. 2 I feel the future is hopeless and that things cannot improve. 3 3. I do not feel like a failure. 0 I feel I have failed more than the average person. 1 As I look back on my life, all I can see is a lot of failures. 2 I feel I am a complete failure as a person. 3 4. I get as much satisfaction out of things as I used to. 0 I don't enjoy things the way I used to. 1 I don't get real satisfaction out of anything anymore. 2 I am dissatisfied or bored with everything. 3 5. I don't feel particularly guilty 0 I feel guilty a good part of the time. 1 I feel quite guilty most of the time. 2 3 I feel guilty all of the time. 6. I don't feel I am being punished. 0 I feel I may be punished. 1 I expect to be punished. 2 I feel I am being punished. 3 7. 0 I don't feel disappointed in myself. I am disappointed in myself. 1 I am disgusted with myself. 2 I hate myself. 3 8. I don't feel I am any worse than anybody else. 0 I am critical of myself for my weaknesses or mistakes. 1 I blame myself all the time for my faults. 2 I blame myself for everything bad that happens. 3 9. 0 I don't have any thoughts of killing myself. I have thoughts of killing myself, but I would not carry them out. 1 2 I would like to kill myself. 3 I would kill myself if I had the chance. 10. 0 I don't cry any more than usual. 1 I cry more now than I used to. 2 I cry all the time now. I used to be able to cry, but now I can't cry even though I want to. 3

11.		
	0	I am no more irritated by things than I ever was.
	1	I am slightly more irritated now than usual.
	2	I am quite annoyed or irritated a good deal of the time.
	3	I feel irritated all the time.
12		Teel ittrated an the time.
12.		I have not lost interest in office possile
	0	I have not lost interest in other people.
	1	I am less interested in other people than I used to be.
	2	I have lost most of my interest in other people.
	3	I have lost all of my interest in other people.
13.		
	0	I make decisions about as well as I ever could.
	1	I put off making decisions more than I used to.
	2	I have greater difficulty in making decisions more than I used to.
	3	I can't make decisions at all anymore.
14.		
	0	I don't feel that I look any worse than I used to.
	1	I am worried that I am looking old or unattractive.
	2	I feel there are permanent changes in my appearance that make me look
		unattractive
	3	I believe that I look ugly.
15.		
	0	I can work about as well as before.
	1	It takes an extra effort to get started at doing something.
	2	I have to push myself very hard to do anything.
	3	I can't do any work at all.
16.		
	0	I can sleep as well as usual.
	1	I don't sleep as well as I used to
	2	I wake up 1-2 hours earlier than usual and find it hard to get back to sleep.
	3	I wake up several hours earlier than I used to and cannot get back to sleep.
17.		
	0	I don't get more tired than usual.
	1	I get tired more easily than I used to
	2	I get tired from doing almost anything.
	3	I am too tired to do anything.
18.		
	0	My appetite is no worse than usual.
	1	My appetite is not as good as it used to be.
	2	My appetite is much worse now.
	3	I have no appetite at all anymore.
19		
	0	I haven't lost much weight, if any, lately.
	1	I have lost more than five pounds.
	2	I have lost more than ten pounds.
	3	I have lost more than fifteen pounds.

20. I am no more worried about my health than usual. 0 I am worried about physical problems like aches, pains, upset stomach, or 1 constipation. 2 I am very worried about physical problems and it's hard to think of much else. 3 I am so worried about my physical problems that I cannot think of anything else. 21. 0 I have not noticed any recent change in my interest in sex. I am less interested in sex than I used to be. 1 2 I have almost no interest in sex. 3 I have lost interest in sex completely.

INTERPRETING THE BECK DEPRESSION INVENTORY

Now that you have completed the questionnaire, add up the score for each of the twenty-one questions by counting the number to the right of each question you marked. The highest possible total for the whole test would be sixty-three. This would mean you circled number three on all twenty-one questions. Since the lowest possible score for each question is zero, the lowest possible score for the test would be zero. This would mean you circles zero on each question. You can evaluate your depression according to the Table below.

Total Score	Levels of Depression
1-10	These ups and downs are considered normal
11-16	Mild mood disturbance
17-20	Borderline clinical depression
21-30	Moderate depression
31-40	Severe depression
over 40	Extreme depression

http://www.med.navy.mil/sites/NMCP2/PatientServices/ SleepClinicLab/Documents/Beck_Depression_Inventory.pdf

Social Interaction Anxiety Scale (SIAS)

Patient Name:	 	 	Date:	

Instructions: For each item, please circle the number to indicate the degree to which you feel the statement is characteristic or true for you. The rating scale is as follows:

0 = Not at all characteristic or true of me.

1 = Slightly characteristic or true of me.

2 = Moderately characteristic or true of me.

3 = Very characteristic or true of me.

4 = Extremely characteristic or true of me.

CHARACTERISTIC	NOT AT ALL	SLIGHTLY	MODERATELY	VERY	EXTREMELY
I get nervous if I have to speak with someone in authority (teacher, boss, etc.).	0	1	2	3	4
2. I have difficulty making eye contact with others.	0	1	2	3	4
I become tense if I have to talk about myself or my feelings.	0	1	2	3	4
I find it difficult to mix comfortably with the people I work with.	0	4	2	3	4
5. I find it easy to make friends my own age.	0	1	2	3	4
6. I tense up if I meet an acquaintance in the street.	0	1	2.	3	4
7. When mixing socially, I am uncomfortable.	0	1	2	3	4
8. I feel tense if I am alone with just one other person.	0	1	2	3	4
9. I am at ease meeting people at parties, etc.	0	1	2	3	4
10. I have difficulty talking with other people.	0	1	2	3	4
11. I find it easy to think of things to talk about.	0	1	2	3	4
12. I worry about expressing myself in case I appear awkward.	0	1	2	3	- 4
I find it difficult to disagree with another's point of view.	0	1	2	3	4
14. I have difficulty talking to attractive persons of the opposite sex.	0	4	2	3	4
15. I find myself worrying that I won't know what to say in social situations.	0	1	2	3	4
16. I am nervous mixing with people I don't know well.	0	1	2	3	4
17. I feel I'll say something embarrassing when talking.	0	1	2	3	4
18. When mixing in a group, I find myself worrying I will be ignored.	0	1	2	3	4
19. i am tense mixing in a group.	. 0	1	2	3	4
20. I am unsure whether to greet someone I know only slightly.	0	7	2	3	4

CO-OCCURRING DISORDERS PROGRAM: SCREENING AND ASSESSMENT Document is in the public domain. Duplicating this material for personal of group use is permissible.

Page 1 of 1

Adult ADHD Self-Report Scale (ASRS-v1.1) Symptom Checklist

Patient Name	Today's Date			14	
Please answer the questions below, rating yourself on each of the criteria shown us scale on the right side of the page. As you answer each question, place an X in the best describes how you have felt and conducted yourself over the past 6 months. Fithis completed checklist to your healthcare professional to discuss during today's appointment.	box that	Rarely	Sometimes	Often	Very Often
 How often do you have trouble wrapping up the final details of a project, once the challenging parts have been done? 					
2. How often do you have difficulty getting things in order when you have to do a task that requires organization?	0				
. How often do you have problems remembering appointments or obligations	?				
4. When you have a task that requires a lot of thought, how often do you avoid or delay getting started?	d			A Section 1	de la calabana de la
5. How often do you fidget or squirm with your hands or feet when you have to sit down for a long time?				9.4	
6. How often do you feel overly active and compelled to do things, like you were driven by a motor?					
		-			Part
7. How often do you make careless mistakes when you have to work on a bo difficult project?	oring or			Con.	
8. How often do you have difficulty keeping your attention when you are dolr or repetitive work?	ng boring				
9. How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly?				200	and the second
0. How often do you misplace or have difficulty finding things at home or at v	work?				
11. How often are you distracted by activity or noise around you?				enterity.	
12. How often do you leave your seat in meetings or other situations in which you are expected to remain seated?	1		132		
13. How often do you feel restless or fidgety?					
14. How often do you have difficulty unwinding and relaxing when you have til to yourself?	me				
15. How often do you find yourself talking too much when you are in social s	ituations?				
6. When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish them themselves?				p. (1)	123
17. How often do you have difficulty waiting your turn in situations when turn taking is required?					
18. How often do you interrupt others when they are busy?					The state of the s
					Part

THE MOOD DISORDER QUESTIONNAIRE

Instructions: Please answer each question to the best of your ability.

	Ā	ES	NO
1. Has there ever been a period of time when you were not your usual self and			
you felt so good or so hyper that other people thought you were not your normal self or you were so hyper that you got into trouble?			
you were so irritable that you shouted at people or started fights or argumer	nts?	\supset	\circ
you felt much more seif-confident than usual?			0
you got much less sleep than usual and found you didn't really miss it?	(\supset	0
you were much more talkative or spoke much faster than usual?	(\circ
thoughts raced through your head or you couldn't slow your mind down?			0
you were so easily distracted by things around you that you had trouble concentrating or staying on track?		0	
you had much more energy than usual?		0	
you were much more active or did many more things than usual?		0	0
you were much more social or outgoing than usual, for example, you telephoned friends in the middle of the night?		0	0
you were much more interested in sex than usual?		0	
you did things that were unusual for you or that other people might have thought were excessive, foolish, or risky?		0	0
spending money got you or your family into trouble?		0	0
2. If you checked YES to more than one of the above, have several of these ever happened during the same period of time?		0	0
3. How much of a problem did any of these cause you – like being unable to work; having family, money or legal troubles; getting into arguments or fight <i>Please circle one response only.</i> No Problem Minor Problem Moderate Problem Serious Problem			9 4
4. Have any of your blood relatives (i.e. children, siblings, parents, grandparent aunts, uncles) had manic-depressive illness or bipolar disorder?	IS,	0	0
5. Has a health professional ever told you that you have manic-depressive illne or bipolar disorder?	.55	0	0

O 2000 by The University of Texas Medical Branch. Reprinted with permission. This instrument is designed for screening purposes only and is not to be used as a diagnostic tool.

Generalized Anxiety Disorder 7-item (GAD-7) scale

Over the last 2 weeks, how often have you been bothered by the following problems?	Not at all sure	Several days	Over half the days	Nearly every day
1. Feeling nervous, anxious, or on edge	0	Jerosk	2	3
2. Not being able to stop or control worrying	0	1	2	3
3. Worrying too much about different things	0	1	2	3
4. Trouble relaxing	0	1	2	3
5. Being so restless that it's hard to sit still	0	1	2	3
6. Becoming easily annoyed or irritable	0	1	2	3
7. Feeling afraid as if something awful might happen	0 ,	1	2	3
Add the score for each column	+	+	+	-
Total Score (add your column scores) =				

If you checked off any problems, how difficult have these made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all	
Somewhat difficult	
Very difficult	
Extremely difficult	

Source: Spitzer RL, Kroenke K, Williams JBW, Lowe B. A brief measure for assessing generalized anxiety disorder. Arch Inern Med. 2006;166:1092-1097.